
Specification Vormatic 75
LCD Slim Display



vormatic®
electronics

SIZES





PRODUCT PARAMETER

Model No.: TXA750			
Panel Features		Input Ports	
Screen Size	75"	HDMI IN	*1
Active Display Area	1650.24 x 928.26mm	HDMI OUT	*0
Pixel Pitch (mm)	0.63(H) x 0.63 (V)	LAN/RJ45	*1
Native Resolution	3840x2160 RGB	TF	*1
Aspect Ratio	16:9	USB	*2
Brightness (Type)	300/500/700/Nits	SD	Option
Contrast Ratio (Type)	1500:1	Output Ports	
Viewing Angle	178(H)/178(V)	Earphone	*1
Response Time (Gray to Gray)	8ms	Coaxial	*0
Display Color	8 bit/16.7M	Audio Feature	
Frame Rate	60Hz	Audio frequency output	left and right channels Speaker 5W*2
Backlight	LED	Power Feature	
Life Time	>30000 Hrs	Power supply	100V-240V,50-60 Hz
Functions		Power Saving	⩽1W
OS system	Android9.0	Power consumption(Watt)	⩽100W
Motherboard model	972	Mechanical Design	
CPU	Cortex-A17+GPU Mail-T764	Chassis Colors	Silver，Black, Option
Main frequency	1.8 GHz	Toughened Glass	NO
RAM	DDR 2GB(4G Option)	Curvature design	NO
Flash	EMMC 8G (16G/32G Option)	VESA Wall Mount	Yes
Decoding resolution	Up to 1080P	Front Control (key)	NO
Networking support	4G\Ethernet, support WIFI / Bluetooth 4.0	Size description of the whole machine	
Video format	RMVB,FLV,AVI,MOV,WMV,MP4,MPEG etc.	Overall size (Without wall hanging)	1688x946.2x35mm
Picture format	JPG, JPEG, BMP, PNG, GIF,	Product size (including rack)	1688x946.2x35mm
Audio	MP4、WMA、WAV、APE、FLAC、AAC etc.	Packing Carton Dimension(W×D×H)	1760*230*1025mm
RTC timing clock	support	Net Weight(Wo/ the Stand)	About 44.1Kg
OS update	USB update	Gross Weight	About --kg
OSD Language	English/Chinese(Brazil)	Hanging rack (optional)	Wall mount / mobile stand x1 (optional)
GPS	External GPS(Option)	Accessary	
System watchdog	support	WIFI Antenma	0
Product features	Horizontal/Vertical/Split Scree	Remote Control	1
		Power Cord	1
	Customized Play & Power On/Off	Warranty Card	1
		User manual	1
	Support full seamless switching	Wall bracket	1
	Support Web/Local Info.Publish		

Copyright © The Limited Liability VORMATIC